Description:

APEX-jet DTG4060□□□ □□□□□□QC□□□□□□□□□□□ DTG4060 □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□4□□T□□□□□2□T□□□□□2□□T□□□□1□T□□□□□□□□□□□□ □□□DX5□□□□□□□□□□□□□□□□□□□

APEX-JET
MUTIFUNCTIONAL
DTG PRINTER-DTG4060

Apex-jet DTG4060 printer is made from high-end materials that have passed inspection. DTG4060 is a durable double-platen or multiple-platen garment printer, its maximum platform size is 400*600mm. It produces the high resolution images on many types of garments, especially 100% cotton and high-cotton blend t-shirts. Combined with SAI PhotoPrint software, this printer is an easy-to-use and easy-to-maintain industrial garment printer.

*** White Ink And Color Ink At One Pass**
*** High Speed**
*** Easy Operation**
*** Small Foot-Print**
*** Industrial Performance**
*** Real Color Printing**

Feature:

*□□;□□□□
*□□□□□□□□□
*□□T□□□□□□□□□□

*□□□□
*□□□□□
*□□□□

CMYKW□□□□□

□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□

PhotoPrintSoftware□

*□□□□□□□ - □□□□□□□□□□

*□□□□□□□□ICC□□□□□□□□□□RIP

□□□□□□□□□□□□□□□□□□□□

Screen shows the height between the print head and t-shirt trays
T-shirt trays
Red light will be on if no enough ink
Ink damper and print head
Up
Up
Down
Down
Wast ink bottle
Handle
Control Panel: 3.0 version
Height Detector
Height detector
EMERGENCY STOP
Emergency Stop
Power
Power

+CLOTHS TRAY

3 Options Are Avaiable
4* 408.9mm*236.5mm size or 2* 510mm*375mm size or 2*408.9mm*236.5+1*510mm*375mm

+HEAT PRESS

With this Hover Press, you never have to worry about direct-to-garment ink residue on your platen. Can also be used for any type of traditional heat-applied graphics.

+PHOTOPRINT SOFTWARE

*White ink options – full background, under color, or spot color
*Allows you to add your own icc color profiles to RIP software
*Repeat function allows image copy to print multiple products

+CMYKW TEXTILE INK

Vivid color, high color concentration, clear-cut dot
Excellent adaptability, excellent on-machine
Printing quality

+SPECIFICATIONS

Materials to Print	Light color & dark color textile, above 80% cotton
Printing Method	Drop-on-demand Piezo Electric Inkjet
Printing Direction	Smart Bi-directional Printing Mode
Printing Speed	About 180seconds for 720*720dpi, 400mm*600mm size
Print Resolution	Standard Dpi: 720*1440dpi Low Dpi: 720*720dpi
Max. Print Format	24"*41" (600x900mm)
Max. Print Gap	50mm
Power Requirement	50/60HZ 220V(±10%)<5A
Environment	20 ~ 28 ℃ HR40-60%
Printer Head	Single Printer Head
RIP Software	SAi PhotoPrint DX or DX Plus
Operation System	Microsoft Windows 98 / 2000/XP/Win7/Win8
Languages	English/German/Italian/Spanish/French/Japanese etc
Ink Colors	CMYKWWWW
Ink System	CISS Built Inside With Ink Bottle
Height Adjustment	Automatic with Sensor
Driving Power	110 V/220 V
Ink Consumption	30ml/SQM
Packing	Wooden Case
Machine Net Weight	145Kg
Machine Dimension	1400 * 1300 *550mm

www.apex-jet.com

Specification:

□□□	DTG4060
□□□□□□□	□□□□□□□□□□□□80□□□□□
□□□□□□□□	23.62“* 15.75”□60 * 40cm□
□□□□□□□□	5□□□1.97 ''□
□□□□	380W
□□□□	50 / 60HZ 220V□±10□□< 5A
□□	20~28C HR40-60□
□□□	□□□DX5□□□180 * 8□
RIP□□	SAi PhotoPrint DX
□□□□	□□/□□/□/□/□/□/□□/□□/□□/□□□/□□□
□□□□	Windows 7 / Windows 8 / Windows10
□□□□	□□□□
□□□□	KCMY + WWWW
□□□□	CISS□□□□□
□□	USB3.0
□□□□	156□□
□□□□	146 * 103 *88□□
□□	□□□□□□□□□□□

Warranty:

Microtec / Apex□□□□□□□□□□□□□□□□□□□□□□□APEX UV□□□□□□□□□□□□□□Apex□□□□□□□□□□□□□□□□□□□