

Description:

[APEX-jet DTG4060](#) [DTG4060](#) [DTG T](#) [400 *600](#) [APEX](#) [DTG4060](#) [Apex-jet PhotoPrint](#)

APEX-JET MUTIFUNCTIONAL DTG PRINTER-DTG4060

Apex-jet DTG4060 printer is made from high-end materials that have passed inspection. DTG4060 is a durable double-platen or multiple-platen garment printer, its maximum platform size is 400*600mm. It produces the high resolution images on many types of garments, especially 100% cotton and high-cotton blend t-shirts. Combined with SAI PhotoPrint software, this printer is an easy-to-use and easy-to-maintain industrial garment printer.



- * White Ink And Color Ink At One Pass
- * High Speed
- * Easy Operation
- * Small Foot-Print
- * Industrial Performance
- * Real Color Printing



Feature:

- *□□:□□□□
- *□□□□□□□□
- *□□T□□□□□□□□

- * 0000
- * 00000
- * 0000

CMYKW 00000

000000000000000000

000000000000000000

PhotoPrintSoftware

* 000000 - 0000000000

* 0000000 ICC 0000000000 RIP

000000000000000000



+CLOTHS TRAY



3 Options Are Available

4* 408.9mm*236.5mm size or 2* 510mm*375mm size or 2*408.9mm*236.5+1*510mm*375mm

+HEAT PRESS



With this Hover Press, you never have to worry about direct-to-garment ink residue on your platen. Can also be used for any type of traditional heat-applied graphics.

+PHOTOPRINT SOFTWARE



*White ink options – full background, under color, or spot color
*Allows you to add your own ICC color profiles to RIP software
*Repeat function allows image copy to print multiple products

+CMYKW TEXTILE INK



Vivid color, high color concentration, clear-cut dot
Excellent adaptability, excellent on-machine
Printing quality

+SPECIFICATIONS

Materials to Print	Light color & dark color textile, above 80% cotton
Printing Method	Drop-on-demand Piezo Electric Inkjet
Printing Direction	Smart Bi-directional Printing Mode
Printing Speed	About 180seconds for 720*720dpi, 400mm*600mm size
Print Resolution	Standard Dpi: 720*1440dpi Low Dpi: 720*720dpi
Max. Print Format	24"*41" (600x900mm)
Max. Print Gap	50mm
Power Requirement	50/60HZ 220V(±10%)<5A
Environment	20 ~ 28 °C HR40-60%
Printer Head	Single Printer Head
RIP Software	SAI PhotoPrint DX or DX Plus
Operation System	Microsoft Windows 98 / 2000/XP/Win7/Win8
Languages	English/German/Italian/Spanish/French/Japanese etc
Ink Colors	CMYKWWWW
Ink System	CISS Built Inside With Ink Bottle
Height Adjustment	Automatic with Sensor
Driving Power	110 V/220 V
Ink Consumption	30ml/SQM
Packing	Wooden Case
Machine Net Weight	145Kg
Machine Dimension	1400 * 1300 *550mm

www.apex-jet.com



Specification:

型番	DTG4060
最大印刷幅	最大印刷幅80mm
最大印刷高さ	23.62" * 15.75" [60 * 40cm]
最大印刷厚さ	5mm 1.97"
消費電力	380W
電源	50 / 60HZ 220V ±10% < 5A
動作温度	20~28C HR40-60
印刷速度	最大DX5mm 180 * 8
RIP	SAi PhotoPrint DX
対応OS	Windows 7 / Windows 8 / Windows 10
印刷色数	KCMY + WWWW
印刷方式	CISS
インターフェース	USB3.0
印刷解像度	156dpi
印刷サイズ	146 * 103 * 88mm
重量	約1.5kg

Warranty:

Microtec / Apex APEX UV Apex

- * 保証期間
- * 保証内容
- * 保証対象品
- * 保証外品