DTG □□□ □□ □□□ □□□ T□□ □□ □ dtg □□□ □ CE□□ □□ □□ □□ □□□ □□ □□ □ □ □□ □ Ť □□□□□ □ □□ □□ □ □□ □□ □ □□□ □□ □□□ □□ □□□ □□ □□ □ □ □□ □ DX5 □□ □ □ □□ □ □□ □□ □□ □□□

APEX-jet DTG6090□□□□□□□□□□QC□□□□□□□□□□□□

DTG6090□□□□□□□□□□□□□□□□□□□□□□□□□□□□4□□T□□□□□2□□T□□□□□2□□T□□□2□□□□1□□T□□□□□□□□□□□□□□□Epson DX5□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□DTG T□□□□□□□□□□□□□60 * 90cm□□□□□□□□CMYK□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□APEX□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□100□□□T□□□□□□T□□□□□80□□□□□□□□□□□□APEX□□□□□□□□□□□□□DTG6090□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□PhotoPrint Apex-jet□□□□□□□□□□□□□□□□□□□

+SPECIFICATIONS

Materials to Print	Light color & dark color textile, above 80% cotton
Printing Method	Drop-on-demand Piezo Electric Inkjet
Printing Direction	Smart Bi-directional Printing Mode
Printing Speed	About 180seconds for 720*720dpi, 400mm*600mm size
Print Resolution	Standard Dpi: 720*1440dpi Hi-def Dpi: 1440*1440dpi Low Dpi: 720*720dpi Max Dpi: 2880*2880dpi
Max. Print Format	24"*41" (600x900mm)
Max. Print Gap	50mm
Power Requirement	50/60HZ 220V(±10%)<5A
Environment	20 ~ 28 ℃ HR40-60%
Printer Head	Single Printer Head
RIP Software	SAi PhotoPrint DX or DX Plus
Operation System	Microsoft Windows 98 / 2000/XP/Win7/Win8
Languages	English/German/Italian/Spanish/French/Japanese etc
Ink Colors	CMYKWWWW
Ink System	CISS Built Inside With Ink Bottle
Height Adjustment	Automatic with Sensor
Driving Power	110 V/220 V
Ink Consumption	30ml/SQM
Packing	Wooden Case
Machine Net Weight	145Kg
Machine Dimension	1400 * 1300 *550mm

www.apex-jet.com

Feature:

*□□□□□□
*□□□□□□
*□□□4-2 -1□□□
*□□□□□□□□□□□□
*□□□□
*□□□□□
*□□□□

APEX-jet□□□□□□□□□□□□

□□60 * 90cm□□□□□□□□□□□□□□□□□□□□□□□□□DTG□□□□□□□□□T□□□□□□□□□□□□□□□T□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□

□□□□□□□□
4□□□□□40.9□□* 23.6□□□16□□* 9.3□□□
2□□□□51□□* 37.5□□□20□□* 14.8□□□
□2□□+ 1□□

CMYKW□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□T□□□□□□□□□□□□DTG□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

PhotoPrint□□□

*□□□□□□□-□□□□□□□□□□

*□□□□ICC□□□□□□□□□□RIP

□□□□□□□□□□□□□□□□□□□□□

Specification:

□□□	DTG6090
□□□□	□□□□□□□□□□80□□□□□
□□□□□□	23.62□□* 35.43□□□60 * 90□□□
□□□□□□	5□□□1.97□□□
□□□□	380□
□□□□	50 / 60HZ 220V□±10□□< 20A
□□	20□28C HR40-60□
□□□	□□□DX5□180 * 8□□□
RIP□□	SAi PhotoPrint DX
□□□□	□□/□□/□□/□□□□/□□/□□/□□/□□□/□□□/□□□□/□□□□
□□□□	Windows 7 / Windows 8 / Windows10
□□□□	□□□□
□□□□	KCMY + WWWW
□□□□	CISS□□□□□
□□	USB3.0
□□□□	267□□
□□□□	156 * 146 * 87.5□□
□□	□□□□□□□□□□□□

2880 * 2880dpi□□□□□□□□□□□