Description:



□□TOSHIBA CE4□□□

ПППП

Specification:

	UV1610
00000	
000000	62.99"* 39.37" [160 * 100cm [
	103.94 ''_
	3800W
	50 / 60HZ 220V[]±10[[]< 20A
	20~28C HR40-60□
	00CE4000318X200000005~1000
RIP	SAi PhotoPrint DX Plus
	00/00/0/00/00/00/00/000/000
	Windows 7 / Windows 8 / Windows10
	UVDD
	KCMYWW / KCMYLcLmWW / KCMYLcLmWWVV
	CISSODOD
	USB3.0
0000	1200

 0000
 377 * 196 *16200

 00
 00000000000

Display:









Certificated Ink

Installed box for the ink bottle which is most space-saving and good looking. Also the Ink is get supplier certificated, pass SGS certification. Without any components which may damage print head, which will prolong the service life of the printer head. And the ink is high density and wide color gamut.



Professional Water Cooling System •

Water's high specific heat capacity, density, and thermal conductivity, allows water to transmit heat more easily. So it can more efficiently cool down UV LED light, in order to prolong its lifetime.



Vacuum Table

Consists of a typically flat rigid surface in which exists small holes to evacuate air from under a workpiece, as to apply varying vacuum from between the desired workpiece and table to maintain a clamping force.

To make the soft printing materials like leather more smooth and level, so as to get the best printing result.



