Description:

□□□□**UV4060**□□□□□□□□□□□□□□□□□□□□□□□□□□

□ □Gital UV□□□□□□□□□□□□□ □□□ □□□UV □□ □□□□□□□□□□□□□□□□□□□□□ □□□ □□□ □□ □□□□□ □ □□□□□ □□ □□□□□ □□□□□□□□□□□□□□□ □□□□□□□

Feature:

*□□□□□□□□□□□□□□□□□□□□□□

*□□□□□□□□□□

*□□□□□□□□□

*□□□□□□□□□□□□□□□□□□□

*□□□□□□□□□□□□□□□□□□□□□□

*□□□□□□□□□□□□□□□□□□□□□□□□□

*□□□□□□□□□□□□□□□□□□□□□□

*□□□□□□□□□□60 * 40cm

*□□□□□□□□□□□□

*□□□□□□□□□□□□□□□□□□□□□□□□

*□□□□□DX5□□□□□180×8□□□□□□□□□□

* 1□□□□□□□□□□

UV□□□

□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

[illegible] [illegible]UV LED[illegible]
[illegible]

UV[illegible] [illegible]UV[illegible]

[illegible] [illegible]Apex[illegible]
[illegible]

[illegible]
[illegible]
[illegible]
2.[illegible]

Specification:

[illegible]	UV4060
[illegible]	UV LED[illegible]
[illegible]	[illegible]
[illegible]	23.62 "* 15.75"[illegible]60 * 40 cm[illegible]
[illegible]	14cm[illegible]5.51[illegible]
[illegible]	380W
[illegible]	50 / 60HZ 220V[illegible]±10[illegible]<20A
[illegible]	20[illegible]28C HR40-60[illegible]
[illegible]	[illegible]DX5[illegible]180×8[illegible]
RIP[illegible]	[illegible]DX
[illegible]	[illegible]/[illegible]/[illegible]/[illegible]/[illegible]/[illegible]/[illegible]/[illegible]/[illegible]/[illegible]/[illegible]
[illegible]	Windows 7 / Windows 8 / Windows 10
[illegible]	UV[illegible]
[illegible]	KCMY + WWWW / KCMY + KCMY / KCMY + WWVV
[illegible]	[illegible]CISS
[illegible]	USB3.0
[illegible]	206.5kg
[illegible]	146×103×88cm
[illegible]	[illegible]

Display:

Hot Sale
Digital Flatbed Printer
Machine - MT-FP4060-UV
APEX
BULLS

Well arranged
CMYK+2W ink tanks
Auto-clean button
Red light will be on if no enough ink.
Glass platform and
vacumm table are available
Water cooling system
is included
Easy operated board with clear instructions
Equipped with imported beam,
drag chain, Epson DX5 printer head
Waste ink bottle

Appearance



Generation1▲ Generation2▲ Generation3▲

UV Led Light

UV Light Brightness Switch: Adjust UV Light Brightness to Fit Curing Needs

Handle:easy for carriage

With new cover - Better protect printer

Auto Height Sensor Button - Smartly Detect the Distance between Media and Printer Head

Based on the advantage of Generation2, the Generation3 will offer more functions:

Auto height sensor - Smartly detect the distance between media and print head

UV light brightness switch: Adjust UV light brightness to fit curing needs

Power clean - Printer can do cleaning even without connection to computer

Power Clean - Cleaning Can be Made without Connection to PC.

1.Quality 2.CleaPrinterning 3.Test 4.Menu 5.Enter 6.Origin 7.Pause 8.Cancel
9.Printer Bridge Up 10.Printer Bridge Down 11. Auto Height Sesor Button 12.Power
13.Emergency Stop 14.Printing Distance Display 15.Handle 16.Led UV Light
17.Cariage 18.UV Power 19.UV Adjustable Switch 20.Ink Supply

- 3 months warranty for print head with using Microtec UV ink;
- One year for all other machines parts;
- Lifetime maintain;

Tips: To prolong the service life, we recommend not work more than 8 hours per day.

+Packing

+Accessories

Repair Kits,Cross small screwdriver, RIP Dongle, RIP Software,190 Driver CD,190 Dongle,Power Cord, USBCable,Syringes （with 5cm's Rubber Pipe), Machine operation instruction.

+Special Fixtures, Bulk Production

To increase the output of production for special product, Apex suplys specific fixture which makes it possible to implement a batch printing. Contact Now, to custom your unique fixtures for special items.

Application:

WESTERN DIV.
CHAMPIONS
MMA CHAMP
Champions
FOOTBALL

Don't
let us
Go