Description:



Specification:

00 00-	DTF-A3
000 00	2PCS [[] 13200
00 0	≤330mm
00 000 000	PET []
00 00	4[[] 12[]/h, 6[[] 10[]/h

00 000	720dpi/1080dpi/1440dpi
00 00	KCMYWWWW
00 00	DTF [[]
	000 0
00 00 00	
00 00 00	
00 00 00	
	XP/[]7/[]8/[]10
	0000 0000
	SAI DODD
	DDD/DD/DDDD/DDDDD/DDDDD/DDDDD D
	110V/220V
	350±5%W
	□□ 15~30°C
000 00/00	87x75x138cm/78kg
OO OOO OO/OO	70x123x103cm/ 63kg
000 00 00/00	97x78x63cm/93kg
aa aaaa aa aa/aa	81x78x118cm/ 83kg

Details Of DTF A3+






NO.1 Print Head Carriage & Heavy Pressure Roller With Rub

NO.2 Digital Operation Display System



NO.3
White Ink Circulation & Stirring

NO.4 Ink Shortage Alarm Device





NO.5 DTF Film Feeding Bracket

NO.6 DTF Powder Shaker with DTF Film Taking Up System

Printing Process

We can provide one-stop DTF printing solution



- * 00 00 000 00 00 000 00.

Application:

WIDE APPLICATION

In perfect harmony, the delicate balance between price and productivity.



















