Description:

Apex UV2513. □□□ □□ □□ UV □□ □□ □□□ □□ □□ □□□ □□□ □□□ □□ □□ □□ □ □□ □□ □□ □□. □□□ 5 ~ 10 □□ □□□ □□□ □□ □□□□ □□ □□□ □□ □□□□□□□. □□ □□ □□□□ □□ □□□ □□ □□ □ □ □□□□. □ UV □□□ □□ □□ □□ □□, □□ □□□ □□□□ □□□ □□ □□ □ □□□...□

□ UV LED □□□ □□□□ Toshiba CE4 □□□ □□ Toshiba CE4 □□□ □□□□□ □, □□□, □□, □□, □□□□, □□□□, □□ □□□ □ □□ □□ □ □ □ □□□ □□ □ □ □□□□. □□□ □□ □□□ □□□ □□□□□ □□□ □□□□□. □□ □□ □□...□

□□□ □□□□□ □□□ □□ UV □□□, Apex UV2513. □□□ □□□□□□ □□□ □□□□□ □□ PVC □□ UV □□□, □□ □□□ UV □□□, □□ □□□ UV □□□□□

COLOR SCHEMES

Toshiba CE4 Print Heads Arrangement (5~12pcs Heads Options) UV1610/UV2513: Single Head Single Color			
Print Heads Color	Print Heads Quantity	Color Arrangement	Print Area
4color+1white	5pcs	K C M Y W	160*100cm,250*130cm
4color+1white+1varnish	6pcs	K C M Y W V	160*100cm,250*130cm
6color+1white	7pcs	K C M Y LC LM W	160*100cm,250*130cm
6color+1white+1varnish	8pcs	K C M Y LC LM W V	160*100cm,250*130cm
4color+2white	6pcs	K C M Y W W	160*100cm,250*130cm
6color+2white	8pcs	K C M Y LC LM W W	160*100cm,250*130cm
4color+2white+2varnish	8pcs	K C M Y W W V V	160*100cm,250*130cm
6color+2white+2varnish	10pcs	K C M Y LC LM W W V V	160*100cm,250*130cm
4color*2+4white	12pcs	K K C C M M Y Y W W W W	160*100cm,250*130cm

Toshiba CE4 □□ □□□ □□□□□□□□
□□□ □□□ 636□□□ □□ □□□□ 28kHz□□ □□ □□ □□□ □□□□ □ □□□□□□. □□□□ □□□ □□□ Ablique□□ 300 □ □□ □□ □ □ □□□ □ □□□ □□□□ □□ □ □ □□□□. 8 □□ □□□ □□□, 5PL □□ □□, □□ □□□□.

□□ □ □□
□□□ □□ □□ □□□ □□ SGS □□□ □□□□□. □□□ □□□ □□□ □□□□ □□□ □□ □□□ □□ □ □□□ □□ □□□ □□□□. □□□ □□□ □□□□ □□ □ □□ □□□.

□□□ □□□ □□□□□ □□
□□□ □□□□□ □□□ □□□ □□□ □□ □□ □□□ □□ OEM□□□. □□□ □□ □□□□ □□□□□ □□ 0.01mm □□□□□.

□□□□ □□□□
□□ □□□□ □□ □□□□□ □□□□ □□□ □□□□ □□□□ □□□□□ □□□□□.

□□ **RIP** □□□□□
□□□ □□□□□□ □□□□ □□□□ □□ □□□□□. □□□□ □□ □□□ □ □□□ □□□ □□ □, □□□ □□ □□ □□, □□ □□ □□.

□□□ □□ **Anti-Collision System.**
□□□ □□□ □□□ □□ □□ □□ □□□□ □□ □□□ □□ □□□ □□□□ □□ Anti-Collision □□□□ □□□□ □□□□.

Feature:

□□ □□.	UV2513.

UV □□ □□□	UV LED □□ □□□
□□ □□	□□, □□□□, □□, □□, □□□, □□□, □□, □ □
□□. □□ □□	98.43 "* 51.18"(250 * 130cm)
□□. □□ □□	10cm (3.94 '')
□□ □□	3800W.
□□ □□ □□	50 / 60Hz 220V (± 10 %)<20A
□□	20 ~ 28C HR40-60 %
□□□ □□	Toshiba CE4 (□□ 318x2), □□□ □□□ 5 ~ 10pcs □ □ □□□□.
□ □□□□□	Sai PhotoPrint DX Plus.
□□□□□ □□	□□□ / □□□ / □□□ / □□□□ / □□□ / □□□ / □□□□ / □□□□ / □□□□□ / □□□□□ / □□□□
□□ □□□	Windows 7 / Windows 8 / Windows 10.
□□ □□	UV □□
□□ □□	kcmyww / kcmylclmww / kcmylclmwwvv.
□□ □□ □□□	□□ □ □□ □□ □ CISS
□□ □□	usb3.0.
□□ □□□	1300kg
□□ □□	467 * 227 * 170cm.
□□	□□ □□□ □□ □□ □□□

Display:

Equipped with TOSHIBA CE4 Head ▲

High density nozzles, as many as 636, dot frequency is 28KHZ which will help to achieve a high print speed Spray ink can reach 300 billion times without clogging and ablique, but with long durable life. 8 Levels grey scale, 5PL ink drop size, with a high resolution.

Easy Operation Control Panel ▲

Which will make you to use this printer without any confuse. Also all the button is installed with direction and different color to show its functions.

Low Water Indicator ▲

This Button will on if the water cooling system need to be refill with water.

Cleaning Button ▲

These two button will allow you to operate the cleaning easy.

Print Head Temp ▲

This indicator will show the status of the printer head.

Pressure Gauge ▲

It will show the Pressure the ink.

Certificated Ink ▲

Installed box for the ink bottle which is most space-saving and good looking.Also the Ink is get supplier certificated, pass SGS certification. Without any components which may damage print head, which will prolong the service life of the printer head. And the ink is high density and wide color gamut.

Professional Water Cooling System ▲

Water's high specific heat capacity, density, and thermal conductivity, allows water to transmit heat more easily. So it can more efficiently cool down UV LED light, in order to prolong its lifetime.

Vacuum Table ▲

Consists of a typically flat rigid surface in which exists small holes to evacuate air from under a workpiece, as to apply varying vacuum from between the desired workpiece and table to maintain a clamping force.
To make the soft printing materials like leather more smooth and level, so as to get the best printing result.

□□□ □□ □□ >>

Apex UV □□ □□ □□□□ □□□ □□□□ □□ □□□□□.

□□ □□ **:** ABS, □□ □□□, □□ □□, □□□, MDF, PVC □,
□□, □□, □□□□, □□ □.

□□ □□ **:** □□, □□, □□□ □□ □□ □□, □□ □□, PU □

□□ □ **:** □□, □□, □□□□, □□, □□ □

□□ □□ **:** □□, □□, □ □□□□ □□, □□ □

□□ □□□ **:** □□ □□ □□□, □□□ □□ □□ □

□□ □□ **:** □□□□, USB □□□ □□, □, □, □□ □□ □□□,
□□ □□, □□ □□ □□, □□ □□ □

□□**:** □□ □□□ □□, □□ □□, □□, □□ □□ □

□□□ □□ **:** □□□□ □□□, □□ □□, □□ □□ □

Application:

□ APEX UV2513 UV □□□□ □□□□□ □□□□□ □□ □□□ □□ □□□□□□ □□ Materails□ □□ □□ □ □ □□□□.

Warranty:

Microtec / Apex□ □□ □□□ □□□□ Apex UV □□□ □□□ □□ □ □□□ □□ □□□ □□□□ □□□□. □□□ Apex□ □□□ □ □□□ □□ □□□ □□ □□ □□ □□□ □□□□□.

* □□ Apex □□□□ □□□ □□ □□ □□ □□.
* □□□ □□□ □□□ □□ □□□ □□ 1 □ □□
* □□, □ □ □□ □□ □□□ □□□ 3 □□ □□
* □□□ □□□ □□ □□ □□□□ □□ □ □□□ 5 □□ □□ □□ □□□□ (□□□ □□ □□□ □□, □ □□ □ □□ □□□ □□)