Description:

Industrial UV LED Printer, UV7110 can print on any material directly: plastic, acrylic, ceramic, metal, slate, wood, glass and leather with fast printing speed.

□□□ UV □□ □□ □□□ UV7110□ APEX □□□ □□ UV □□□□□. □ □□□ 3 ~ 4 □□ Toshiba □□□ □□ □□□□, □□ □□ □□□ □□ □□ □ □□□ □□ □□ □□□ □□□ □□ □□ □□□ □□□□□□□. □□ □□ □ UV □□□ □□□□ □□ □□□ □□□□ □□□□ □□□□ □□□□ □□□□□.

TOSHIBA CE4 □□□ □□ □□
636 □□ □□□ □□□ □□ □□□□ 28KHZ□□□ □□ □□ □□□ □□□□ □ □□□□□□. □□□□ □□□ □□□□ □□□ □□ □□□ 3 □□ □ □□ □ □ □□□ □ □□ □□. 8 □□ □□□ □□□, 5PL □□ □□ □□, □□□□.

□□ □□
□□□ SGS □□□ □□□□ □□□ □□□□□□□. □□ □□□ □□□□ □□□ □□ □□□ □□□□ □□□ □□□ □□□ □□□ □□□□□. □□□ □□□ □□□□ □□ □ □□ □□□.

□□□ □□□ □□□□□ □□
□□□ □□□□□ □□□ □□□ □□□ □□ □□ □□□ OEM□□□. □□ □□□□ □□ □□□□ □□□ 0.01mm □□□□□.

□□□□ □□□□
□□ □□□□ □□ □□□□□ □□□ □□ □□□□ □□□□□ □□□□□.

□□ **RIP** □□□□□
□□□ □□□□□□ □□□□ □□□□ □□ □ □□□□ □□□□. □□□□ □□ □□□, □□□ □□□ □□, □□□ □□ □□ □□, □□□□ □□ □□.

□□□ □□ □□ □□ □□□
□□□ □□□ Anti-collision □□□□ □□ □□□□ □□ □□ □□ □□ □□□□ □□ □□□ □□ □□□ □□□□□.

□□□ □□□ □□
□□ □ □□ □□ □□□ □□ □□ □□□ □□ □□ □□□□ □□□ □ □□□□.

Feature:

TOSHIBA CE4M □□□ □□ □□
* TOSHIBA□ □□ □□

* □□□ □□□ □□□□□ □□
* □□ □□ □□ □□ □□□
* □□□ □□□ □□□ □ □□ □□□
* Y □□ □□ □□ □□
* □□ □ □□□ □□ □□□ □ Towline
* □□ □□□□ □□□ □□□□□.

Specification:

□□ □□.	UV7110
□□□	APEX □□□ UV □□□
□□ □□	710 * 1000mm
□□□ □□	1700 * 1860 * 1370mm
□□□ □□	Toshiba CE4
□□ □□	3-4
□□ □□	CMYKW □□ CMYKV
□□ □□	100mm
□□ □□□	2 * LED UV
□□ □□	TIFF, PSD, JPG □
□□ □□□	□□ □□□□ □□ □□
□□□□□	USB3.0
□□ □□□	□□□ 7 / □□□ 8 / □□□ 10
□□ □□ □□	50 / 60HZ 220V (± 10 %) <30A
□□ / □□	68-82 ° F / HR40-60 %
RIP □□□□□	SAi PhotoPrint

Display:

Equipped with TOSHIBA CE4 Print Head

High density nozzles, as many as 636, dot frequency is 28KHZ which will help to achieve a high print speed. Spray ink can reach 300 billion times without clogging and ablique, but with long durable life. 8 Levels grey scale, 5PL ink drop size, with a high resolution.

Certificated Ink

Ink is get supplier certificated, pass SGS certification. Without any components which may damage print head, which will prolong the service life of the printer head. And the ink is high density and wide color gamut.

Vacuum Table

Consists of a typically flat rigid surface in which exists small holes to evacuate air from under a workpiece, as to apply varying vacuum from between the desired workpiece and table to maintain a clamping force. To make the soft printing materials like leather more smooth and level, so as to get the best printing result.

Easy Operation Control Panel, which will make you to use this printer without any confuse. Also all the button is installed with direction and different color to show its functions.

Professional Water Cooling System

Water's high specific heat capacity, density, and thermal conductivity. allows water to transmit heat more easily. So it can more efficiently cool down UV LED light, in order to prolong its lifetime.



Application:

HOTEL
PREMIUM DESIGN
MR.HU!
tucando

Supreme

Advertisement

Counter door

Car sticker