

## Description:

Hover Heat Press Auto Open Clam is designed for DTG printing. It features a digital display and a timer. The machine is designed for DTG printing and is suitable for use in a professional printing environment. It is a high-quality, durable machine that is easy to use and maintain.

MICROTEC

# MAX HOVER Heat Press

## Special designed for DTG Curing



## Feature:

- \* Auto Open Clam
- \* Digital Display
- \* Timer & Temperature Control
- \* Suitable for DTG printing
- \* 150mm x 150mm - 200mm x 200mm printing area
- \* 150mm x 150mm printing area
- \* CE mark
- \* 110V / 220V power supply
- \* 2.5mm printing thickness
- \* 3/16" printing thickness
- \* 3/4" printing thickness
- \* 110V / 220V power supply
- \* 110V / 220V power supply

\* □□ □□ □□□ □□□ □□□ □□

### Specification:

□□ □□	□□, □□ □□□, □□ □
□□ □□	16" * 20" (40 * 50cm)
□□ □□	GY-06 □□□ □□ & □□ □□ □□ □□ □□□□ □□□□ □□□□ □□ □□
□□ □	50□
□□ □□□ □□	□
□□	220V
□	1800W
□□ □□	0-999 □
□□ □□	225 C
□□ □□□	± 0.5 %
□□ □□	54 * 88 * 57cm
□□ □□	60kg

□□. □□ □□	□□ 10mm
□□ □□□ □□	□□ 5mm □□

### Application:

- 1. DTG □□ □□□□ □□ □□ □□□ □□□□□□□□.
- 2. □□ □□□, □□ □□ □□.

### Display:





Two modes - one for contact and the second for pressure  
Six heights - Adjustable gear for easy heat platen height adjustments



UP to 6mm space for curing ink: The upper platen curing over the garment to ensure brighter color and a stronger bond between ink and the garment. With this breakthrough technology, you never have to worry about Direct-To-Garment Ink residue on your platen.