

Description:

NEW Large Format Printer UV 1610

Print size:

160x100cm



TOSHIBA CE4 □□□ □□ □□

636 00 0000 00 0000 28KHZ000 00 00 0000 0 000000. 0000 000 0000 000 00 000 3 00 0 00 0 0 000 0 00 00. 8 00 000 000, 5PL 00 00 00, 0000.

1111

[illegible]

□ □ □ □ □ □ □ □ □ □

0.01mm

□ □ □ □ □ □ □ □

□□ □□□□ □□ □□□□□ □□□ □□ □□□□ □□□□□ □□□□□.

☐☐ **RIP** ☐☐☐☐☐

000 000000 0000 0000 00 0 0000 0000. 0000 00 000, 000 000 00, 000 00 00 00, 0000 00 00.

□ □ □ □ □ □ □ □ □ □ □ □

Anti-collision 碰撞避免

Specification:

UV	UV1610
UV LED	UV LED
62.99 "x 39.37" (160 * 100cm)	62.99 "x 39.37" (160 * 100cm)
10cm (3.94 ")	10cm (3.94 ")
3800W	3800W
50 / 60HZ 220V (± 10 %) & lt; 20A	50 / 60HZ 220V (± 10 %) & lt; 20A
20 ~ 28C HR40 ~ 60 %	20 ~ 28C HR40 ~ 60 %
Toshiba CE4 (318X2), 5 ~ 10	Toshiba CE4 (318X2), 5 ~ 10
SAi PhotoPrint DX Plus	SAi PhotoPrint DX Plus
Windows 7 / Windows 8 / Windows10	Windows 7 / Windows 8 / Windows10
UV	UV
KCMYWW / KCMYLCmWW / KCMYLCmWWV	KCMYWW / KCMYLCmWW / KCMYLCmWWV
CISS	CISS

USB3.0	USB3.0
1200kg	1200kg
377 * 196 * 162cm	377 * 196 * 162cm
□□□ □□□□□ □□ □□□ □□□	□□□ □□□□□ □□ □□□ □□□

Display:



Equipped with TOSHIBA CE4 Head ▲

High density nozzles, as many as 636, dot frequency is 28KHZ which will help to achieve a high print speed. Spray ink can reach 300 billion times without clogging and ablique, but with long durable life. 8 Levels grey scale, 5PL ink drop size, with a high resolution.



Easy Operation Control Panel ▲

Which will make you to use this printer without any confuse. Also all the button is installed with direction and different color to show its functions.



Low Water Indicator ▲

This Button will on if the water cooling system need to be refill with water.



Cleaning Button ▲

These two button will allow you to operate the cleaning easy.



Print Head Temp ▲

This indicator will show the status of the printer head.



Pressure Gauge ▲

It will show the Pressure the ink.



Certificated Ink ▲

Installed box for the ink bottle which is most space-saving and good looking. Also the Ink is get supplier certificated, pass SGS certification. Without any components which may damage print head, which will prolong the service life of the printer head. And the ink is high density and wide color gamut.



Professional Water Cooling System ▲

Water's high specific heat capacity, density, and thermal conductivity, allows water to transmit heat more easily. So it can more efficiently cool down UV LED light, in order to prolong its lifetime.



Vacuum Table ▲

Consists of a typically flat rigid surface in which exists small holes to evacuate air from under a workpiece, as to apply varying vacuum from between the desired workpiece and table to maintain a clamping force. To make the soft printing materials like leather more smooth and level, so as to get the best printing result.





www.apex-jet.com