Description:

Newest Large Format UV Printer RH1610/RH2513

Features

- · With Ricoh GEN5 printer head
- · Fast speed, high precision, bright color
- High-sensitivity collision avoidance system.
- · Vacuum table with strong material adsorption
- · Zero positioning assistant system
- Automatic height measurement system
- · Printer head with inner heating temperature controller
- White ink stirring system



RICOH SERIES UV PRINTER LARGE FORMAT

RICOH GEN5 HEAD • ANTI COLLISION • SAFE OPERATION • INDUSTRIAL FAST SPEED









Layer1 varnish oil

Layer2 color ink

Layer3 white ink

Three layers can be printed at one time







APPLICATION SCENE



case Outdoor adver



Subway advertising



Car body sticker



Ground advertising

COLOR SCHEMES



Ricoh Gen5 Print Heads Arrangement (3~6pcs Heads Options) RH1610/ RH1610GM/ RH2513: Single Head Double Color Print Heads Quantity Color Arrangement Print Heads Color Print Area COMYWW 3pcs 2color+1white 160*100cm,250*130cm COMY GMWW 4pcs 3color+1white 160*100cm,250*130cm (C) (M) (Y) (W) (W) (V) (V) 2color+1white+1varnish 4pcs 160*100cm,250*130cm (C) (D) (V) (D) (W) (W) (V) (V) 3color+1white+1varnish 5pcs 160*100cm,250*130cm 2color+2white 4pcs (C) (M) (Y) (W) (W) (W) 160*100cm,250*130cm 5pcs (C) (M) Y) (C) (M) (W) (W) (W) 3color+2white 160*100cm,250*130cm 🔇 😊 M Y W W W W W 🔇 🔇 2color+2white+1varnish 5pcs 160*100cm,250*130cm (S C M Y C M W W W W W V) 6pcs 3color+2white+1varnish 160*100cm,250*130cm

PRODUCT PARAMETERS

	Land Farmer Birthall IV Flather A British
NAME	Large Format Digital UV Flatbed Printer
MODEL NO.	RH1610/RH2513
PRINT SIZE	1600*1000mm/2500*1300mm
PRINT HEAD	Ricoh Gen5
PRINT HEAD QUANTITY	3~6
PRINT COLOR	KCMYLcLmWWVV
PRINT HEIGHT	100mm
CURING SYSTEM	2 * LED UV
PRINT FORMAT	TIFF, PSD, JPG, etc
CLEANING SYSTEM	Auto Positive Pressure Printing
INTERFACE	USB2.0
OPERATION SYSTEM	Windows 7/ Windows 8/ Windows 10
POWER REQUIREMENT	50/60HZ 220V(±10%)<20A;
TEMPERATURE/HUMIDITY	68-82°F HR40-60%
RIP SOFTWARE	PhotoPrint
PRINTER WEIGHT	615kg (1356lb)/820kg (1807.79lb)
PRINTER SIZE	313cm*175cm*135cm (123"*69"*53")
PACKING WEIGHT	1400kg (3086lb)/1570kg (3461lb)
PACKING SIZE	377*196*162cm/467cm*227cm*170cm


FEATURES



Platform locating function



Suction platform segment control




Double guide, double screw



X,Y axis uses three groups of servo systems



Automatic height detector, ink carriage anti-collision



Ink carriage with Anti-static device



high sensitive printer anti-collision.safe operation



The color separation cleaning device has high washout rate and better



Environmental friendly LED-UV curing



Support CMYK, White and Varnish synchronization output

OUR ADVANTAGES

0 70

MACHINE DESIGN ADVANTAGES:

- Durable parts for industrial production.
 Emergency stop switches make it easy to stop operation from any corner of the printer.
- The inside of Printer head has heating function, printing won't be affected by temperature, and no need water cooling syste to keep constant temperature.
- Jet force of Ricoh GEN5 printer head is better than Toshiba, there will be no printing affect even space between 3mm.
- Printer is equipped with electrostatic air gun, infrared radiation and anti-collision device on the carriage.

industrial fast printing speed, only 15'06" for full size printing

OUTSTANDING PRINTING SPEED AND QUALITY:

UV curing link can print in varies materials directly, it can get perfect high performance in color and productivity.



MACHINE STRUCTURE FEATURES:

- Zero positioning assistant system.
- · High-precision, high-thickness integrated
- Equipped with vacuum table with Strong material
- adsorption, easy to feed materials.

 Automatic height measurement system.
- High-sensitivity collision avoidance system.
- Printer head with inner heating temperature controller.
- white ink stirring system.
- · Print the color ink and white ink at the same time.
- Y axis adopts imported wire rod and guide rail.
- XY axis adopts high quality servo motor.
- Support the color ink, white ink and varnish oil synchronization output.

MACHINE STRUCTURE FEATURES:

- Ricoh GEN5 prinhead has 5–8 gray scale piezoelectric nozzles, variable ink drop printing, minimum 7pl photo level accuracy, can clearly print 2pt fonts, the maximum resolution up to 1440*1200dpl. Head carriage positi —oning using a fixed linear grating to ensure high—precision print positioning.
- It has a high degree of printing characteristics, 6 pass bidirectional 13 square meters per hour
- The maximum print height is 100mm, suitable for printing on glass, acrylic, wood, ceramic tile, metal plate, PVC plate, plastic and other materials.
 Save ink up to 30%–50%
- This printing speed is faster than normal Epson and Toshiba printhead
- printer, life-time is much longer as well. You can set different printing pass to meet your printing result.
- Auto Height Sensor: Smartly Detect the Distance between Media and Printer Head
- UV Light Brightness Switch: Adjustable UV light Brightness to Fit Curing Needs
 Auto Positive Pressure Cleaning System

Machine design advantages:

- Durable parts for industrial production.
- Emergency stop switches make it easy to stop operation from any corner of the printer.
- The inside of Printer head has heating function, printing won't be affected by temperature, and no need water cooling system to keep constant temperature.
- Jet force of Ricoh GEN5 printer head is better than Toshiba, there will be no printing affect even space between 3mm.
- Printer is equipped with electrostatic air gun, infrared radiation and anti-collision device on the carriage.

Outstanding printing speed and quality:

- Industrial fast printing speed, only 15'06" for full size printing 160*100cm.
- UV curing ink can print in varies materials directly, it can get perfect high performance in color and productivity.

Machine structure features:

- Zero positioning assistant system.
- High-precision, high-thickness integrated platform.
- Equipped with vacuum table with Strong material adsorption, easy to feed materials.
- Automatic height measurement system.
- High-sensitivity collision avoidance system.
- Printer head with inner heating temperature controller.
- · white ink stirring system.
- Print the color ink and white ink at the same time.
- Y axis adopts imported wire rod and guide rail.
- XY axis adopts high quality servo motor.
- Support the color ink, white ink and varnish oil synchronization output.

Printing quality and speed:

- Ricoh GEN5 prinhead has 5-8 gray scale piezoelectric nozzles, variable ink drop printing, minimum 7pl photo level accuracy, can clearly print 2pt fonts, the maximum resolution up to 1440*1200dpi. Head carriage positioning using a fixed linear grating to ensure high-precision print positioning.
- It has a high degree of printing characteristics, 6 pass bidirectional 13 square meters per hour.
- The maximum print height is 100mm, suitable for printing on glass, acrylic, wood, ceramic tile, metal plate, PVC plate, plastic and other materials.
- Save ink up to 30%-50%
- This printing speed is faster than normal Epson and Toshiba printhead printer, life-time is much longer as well.
- You can set different printing pass to meet your printing result.
- Auto Height Sensor: Smartly Detect the Distance between Media and Printer Head
- UV Light Brightness Switch: Adjustable UV light Brightness to Fit Curing Needs
- Auto Positive Pressure Cleaning System

Specification:

Model No. RH2513

UV Curing System UV LED Water Cooling System

Materials to Print metal, plastic, glass, wood, ceramics, acrylic, leather, pen, etc.

Max. Print Format 98.43"*51.18" (250*130cm)

Max. Print Gap 10cm(3.94")
Power Consumption 3800W

Power Requirement 50/60HZ 220V(\pm 10%)<20A Environment 20 ~ 28C HR40-60% **Print Head** Ricoh GEN5 (Nozzles 320X4), printer heads can be 3~6pcs.

RIP Software SAi PhotoPrint DX Plus

Software Language English/Chinese/German/Italian/Japanese/Korean/French/Finnish/Dutch/Portuguese/Spanish

Operation System Windows 7 /Windows 8 /Windows10

Ink Type UV ink

Ink Color KCMYWW /KCMYLcLmWW /KCMYLcLmWWVV

Ink Supply System CISS Built Inside With Ink Bottle

Interface USB2.0 Machine Gross Weight 1300kg

Packing Dimension 467*227*170cm

 Packing
 Strong Wooden Package with Full Foam

Display:




















OUR EXHIBITIONS



ENGINEERS ON-SITE SUPPORT





