



Toshiba CE4	Print Heads	Arrangement	(5~12pcs Heads	Options)
	UV1610GM	Single Head	Single Color	

Color configuration	Print Heads Quantity	Color Arrangement	Print Area
4color+1white	5pcs	C 🙁 🛛 🔨 🖤	160*100cm
4color+1white+1varnish	6pcs	C 🖸 😡 🍸 🐨 🔇	160*100cm
6color+1white	7pcs	🔇 🗿 💟 😳 😡 🔍	160*100cm
6color+1white+1varnish	8pcs	🔇 🔘 💙 😳 🚱 🐨 🔇	160*100cm
4color+2white	6pcs	🕲 🙁 💛 🖤 🐨	160*100cm
6color+2white	8pcs	🕲 🕓 💙 🖸 🚱 🐨 🖤	160*100cm
4color+2white+2varnish	8pcs	🔇 🖸 🚫 😗 🐨 🐨 🔇	160*100cm
6color+2white+2varnish	10pcs	C 🖸 🚺 🔨 💷 😳 🐨 🔍 🔘 🔘	160*100cm
4color*2+4white	12pcs	8 8 <mark>8 8 8 9 9 9 9 8 9 8</mark>	160*100cm

UV1610GM

Left platform: Equipped with air suction device 0-100mm printing height Max. print volume: W800*L1000*H100mm



Right platform: Equipped with 0-650mm height adjustable lifting system Max. print volume: W600*L800*H750mm



•TOSHIBA CE4 Print Head •High density nuzzles , faster printing with high resolution



Easy Operation Control Panel: It is clear to use this printer without any confuse. Also all the button is installed with direction and different color label to show its functions.



DEX

2 IN 1 MULTIFUNCTIONAL PLATFORMS

Print Size: Left side 80*10cm + Right side 60*80cm Print Height: Left side 0-10cm +Right Side 0-75cm Right Side Equipped with 65cm Height Adjustable Lifting Platform

EQUIPPED WITH TOSHI -BA CE4 PRINT HEAD:

High density nozzles, as many as 636, dot frequency is 28KHZ which will help to achieve a high print speed. Spray ink can reach 300 billion times without clogging and ablique, but with long durable life. 8 Levels grey scale, 5PL ink drop size, with a high resolution.




FEATURES



Platform locating function



Suction platform segment control



Double guide,double screw



X,Y axis uses three groups of servo



Automatic height detector, ink carriage anti-collision



Ink carriage with Anti-static device



Print Head Temp, shows the temp status of the printer head, safer



The color separation cleaning device has high washout rate and better ink saving



Environmental friendly LED–UV curing



Support CMYK, White and Varnish synchronization output

APPLICATION



Description:

Machine design advantages:

Can print 0~75CM height materials

• APEX brand new 2 in 1 multi-function platforms UV printer offers you completely new personalized UV printing experience

• Left platform equipped with air suction device 0-100mm printing height (Max. print volume: W800*L1000*H100mm)

• Right platform equipped with 0-650mm height adjustable lifting system (max. print volume: W600*L800*H750mm)

- Durable parts for industrial production.
- Emergency stop switches make it easy to stop operation from any corner of the printer.

• The inside of Printer head has heating function, printing won't be affected by temperature, and no need water cooling system to keep constant temperature.

Outstanding printing speed and quality:

Industrial fast printing speed,

• UV curing ink can print in varies materials directly, it can get perfect high performance in color and productivity.

Machine structure features:

- Print Size: Left Side 800*1000mm + Right Side 600*800mm
- Print Height: Left Side 0~100mm + Right Side 0~750mm
- Right side equipped with 65cm height adjustable lifting platform
- Zero positioning assistant system.
- High-precision, high-thickness integrated platform.
- · Equipped with vacuum table with Strong material adsorption, easy to feed materials.
- Automatic height measurement system.
- High-sensitivity collision avoidance system.
- Printer head with inner heating temperature controller.
- white ink stirring system.

Specification:

- Print the color ink and white ink at the same time.
- Y axis adopts imported wire rod and guide rail.
- XY axis adopts high quality servo motor.
- Support the color ink, white ink and varnish oil synchronization output.

Manlal Ma			
Model No.	UV1610GM		
Print Size	Left Side 800*1000mm/ Right Side 600*800mm (1600*1000mm in Total)		
May Drint Hoight	Left side H100mm Right side H100mm+H650mm Height Adjustable=H750mm		
Multi-function Print	·2 IN 1 Multi-function Platform ·Left Platform Equipped with Air Suction Device ·Right Platform Equipped with 650mm Height Adjustable Lifting System		
Print Head T	Toshiba CE4 Print Head, 5-12pcs optional		
JV Curing System ປ	UV LED Water Cooling System		
Materials to Print	Luggage, table, metal, plastic, glass, wood, ceramics, acrylic, leather, pen, etc.		
Power Consumption	3800W		
Power Requirement	50/60HZ 220V(±10%)<20A		
Environment 2	20 ~ 28C HR40-60%		
RIP Software	SAi PhotoPrint DX Plus		
Software Language	English/Chinese/German/Italian/Japanese/Korean/French/Finnish/Dutch/Portuguese/Spanish		
Operation System	Windows 7/Windows8/Windows10		
nk Type և	UV ink		
nk Color k	KCMYW/KCMYLcLm+W/KCMYLcLm+W+V		
nk Supply System	CISS Built Inside With Ink Bottle		
nterface U	USB2.0		
Machine Size	313*181*143cm		
Machine Weight	1080kg		
Machine Gross Weight 1	1480kg		
Packing Dimension	377*199*176cm		
Packing	Strong Wooden Package with Full Foam		

Display:



PROFESSIONAL R&D TEAM



OUR EXHIBITIONS



2017 HAMBURG





2016 MUNICH

2018 AFRICAHNOLOGY CO., LTD. E29



2014 SHANGHAI



2015 FESPA



2013 SGIA

CUSTOMER VISITING











ENGINEERS ON-SITE SUPPORT

